



SH EGRESS OPENINGS

HEIGHT	WIDTH								First Floor = 5.0	
	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	3'-0"	3'-4"	3'-6"	4'-0"	
3'-0"	1.563	1.979	2.396	2.604	2.813	3.229	3.646	3.854	4.479	
4'-0"	2.188	2.771	3.354	3.646	3.938	4.521	5.104	5.396	6.271	
4'-4"	2.396	3.035	3.674	3.993	4.313	4.951	5.590	5.910	6.868	
5'-0"	2.813	3.563	4.313	4.688	5.063	5.813	6.563	6.938	8.063	
5'-6"	3.125	3.958	4.792	5.208	5.625	6.458	7.292	7.708	8.958	
6'-0"	3.438	4.354	5.271	5.729	6.188	7.104	8.021	8.479	9.854	

Calculation for All Temp Windows Single Hung <<calculation>>
 Use Nominal W & H i.e. 3'0" x 5'0" = 36" x 60"
 SH Egress Width = $W - 5"$ <<36" - 5" = 31">>
 SH Egress Height = $H - 4"$ divided by 2; Minus 1" <<((60" - 4") / 2) - 1" = 27">>
 Calculate SqFt = $(W" * H") / 144"$ <<(31" * 27") / 144" = 5.8125 SqFt.>>

HEIGHT	WIDTH								Second Floor = 5.7	
	1'-8"	2'-0"	2'-4"	2'-6"	2'-8"	3'-0"	3'-4"	3'-6"	4'-0"	
3'-0"	1.563	1.979	2.396	2.604	2.813	3.229	3.646	3.854	4.479	
4'-0"	2.188	2.771	3.354	3.646	3.938	4.521	5.104	5.396	6.271	
4'-4"	2.396	3.035	3.674	3.993	4.313	4.951	5.590	5.910	6.868	
5'-0"	2.813	3.563	4.313	4.688	5.063	5.813	6.563	6.938	8.063	
5'-6"	3.125	3.958	4.792	5.208	5.625	6.458	7.292	7.708	8.958	
6'-0"	3.438	4.354	5.271	5.729	6.188	7.104	8.021	8.479	9.854	